

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	182	(ethernet near: phone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 06:25
L2	8	1 same (cradle base)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 06:25
L3	3	1 same (authentication\$4 authorization\$4)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 06:26
L4	1	"6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 06:32
L5	2	("5606594" "5497339").pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 06:37
L6	0	(5 or 4) and ((authentication authentication\$3 authorization authorization\$3))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 06:34
L7	1	(5 or 4) and (password (user adj.id) userid)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 06:34
L8	2	("6466977" "5497339").pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 06:55
L9	1	("5859959").pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 07:03
L10	3	(5 or 8 or 9) and ((connection link port call) near5 (close\$3 (shut near (down off))) disconnect\$4 end\$3 monitor\$3)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 07:05
L11	620	ethernet near5 phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L12	31433	(ethernet internet) near5 (phone telephone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L13	58	((ethernet internet) near5 (phone telephone)) same cradle	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L14	0	((ethernet internet) near5 (phone telephone)) same cradle same (authentication authorize)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L15	695	((ethernet internet) near5 (phone telephone)) same (authentication authorize)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00

L16	8	((ethernet internet) near5 (phone telephone)) same (authentication authorize)) and cradle	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L17	1	"6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L18	0	((ethernet internet) near5 (phone telephone)) same (authentication authorize)) and "6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L19	1	"6161134".pn. and (cradle lan pda authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L20	2	("5497339"   "5606594").PN.	USPAT	OR	ON	2005/06/13 08:00
L21	2	((("5497339"   "5606594").PN.) and (cradle lan pda authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L22	0	((("5497339"   "5606594").PN.) and (authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L23	11171	( user near2 authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L24	1923	(( user near2 authentication)) and ((ethernet internet) near5 (phone telephone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L25	1923	(( ( user near2 authentication)) and ((ethernet internet) near5 (phone telephone))) and (cradle lan pda authentication)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L26	986	(( ( user near2 authentication)) and ((ethernet internet) near5 (phone telephone))) and (cradle lan)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L27	14	(( ( user near2 authentication)) near100 ((ethernet internet) near5 (phone telephone))) and (cradle lan)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L28	31	(( user near2 authentication)) near100 ((ethernet internet) near5 (phone telephone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L29	2	(AAA near2 infrastructure) and voip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L30	130	ethernet adj phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L31	59	(ethernet adj phone) and voip	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00

L32	35	AAA near2 infrastructure	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L33	0	backend near2 AAA near2 infrastructure	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L34	1	backend near2 AAA	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L35	801	authentication near5 AAA	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L36	116	((authentication near5 AAA ) and (voip (ethernet adj phone)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L37	1	"6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L38	96069	aaa nd "6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L39	0	aaa and "6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L40	1	authentication and "6311218".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L41	8	linkbeat	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L42	0	((authentication near5 AAA ) and (voip (ethernet adj phone))) and phonebooth	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L43	8	phonebooth	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L44	198	phone adj booth	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L45	0	(phonebooth or (phone adj booth)) and ((authentication near5 AAA ) and (voip (ethernet adj phone)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L46	0	(phonebooth or (phone adj booth)) and (voip (ethernet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L47	35	(phonebooth or (phone adj booth)) and (internet same (phone telephone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00

L48	80	(phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L49	7	((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))) and (cradle near30 pda)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L50	66	(phonebooth or (phone adj booth) or kiosk) and (cradle near30 pda)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L51	59	((phonebooth or (phone adj booth) or kiosk) and (cradle near30 pda)) and phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L52	1	"5497339".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L53	1	"5497339".pn. and (ethernet lan network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L54	1	"5497339".pn. and (cradle ethernet lan network)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L55	47	((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))) and authentication	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L56	31	((((phonebooth or (phone adj booth) or kiosk) and (voip (ethernet adj phone))) and authentication) and port	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L57	1	((authentication near5 AAA ) and (voip (ethernet adj phone))) and (billing same (user adj (id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L58	11	((authentication near5 AAA ) and (voip (ethernet adj phone))) and (billing same ((id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L59	13	(authentication and AAA) and (voip (ethernet adj phone)) and (billing same ((id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L60	61	(authentication and AAA) and (voip (ethernet adj phone)) and (billing)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L61	130	ethernet adj phone	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L62	1	"20030138061".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L63	0	L62 and (password authentication authorize)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00

L64	0	L62 and (login)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L65	0	L62 and (billing)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L66	0	L62 and (port socket)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L67	1	"6161134".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L68	1	"6128663".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L69	5	((((internet ethernet) adj phone) voip) same (bill\$3) same (user adj (id identification)))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L70	46	((((internet ethernet) adj phone) voip) and ((bill\$3) same (user adj (id identification))))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L71	1	"6704309".pn.	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L72	1	L71 and (authentication authorize password (user adj id))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L73	1	L71 and (authentication authorize password billing (user adj id))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L74	1	"5497339".pn. and cradle	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L75	175	(lan same (hub switch) same pstn) and (voip (internet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L76	0	(lan same (hub switch) same pstn same (authenticate authorize billing password)) and (voip (internet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L77	86	(lan same (hub switch) same pstn) and (authenticate authorize billing password)) and (voip (internet adj phone))	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L78	39	L77 and @ad<"20000814"	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L79	0	"6466977".pn. and lan	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00

L80	1	"6466977".pn. and network	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L81	0	"6466977".pn. and bill\$3	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L82	0	L71 and aaa	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L83	1	"5497339".pn. and (lan ethernet serial)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L84	0	"5497339".pn. and (lan ethernet )	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L85	0	serial adj lan adj converter	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L86	33	serial adj lan	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L87	1821	serial near10 lan	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00
L88	3	L87 same (pda same phone)	US-PGPUB; USPAT; JPO; IBM_TDB	OR	ON	2005/06/13 08:00